

■ OPTICON

EE-293R - electronic shelf label 2,9"

Electronic Shelf Labeling, also known by the acronym ESL, is a system mainly used by retailers for displaying product pricing on shelves. The full graphical display can be remotely updated using a RF based communication network. Automated ESL systems reduce pricing management labour costs and improve pricing accuracy.

Using a complex system of electronic shelf labels, the change of marking the goods on the shelves can be made in a matter of seconds. What is especially fantastic is the possibility that such a change can be made by the central pricing department of the store chain in all of its stores throughout the country without the need for manual intervention in places where goods are offered to customers.



Opticon electronic shelf labels differ in the way they are powered:

- the EE series has a built-in battery with a lifespan of 5 years, the ESL itself is not externally powered by electricity;
- the PE series has no power battery, the Power Rail system is required for operation;
- the RE series has a built-in rechargeable battery, a Power Rail system is required for charging

How the electronic shelf label (ESL) works: YOUTUBE = 'xA8AQxDCqlw'

Technical Description

Functionality & Operation

t amount and a operation	
Communication interface	IEEE 802.15.4 , 2.4 GHz
Memory	Internal ROM: 128 kB, Internal RAM: 8 KB
CPU Type	8051 8-bit MCU
Display type	2.9" EPD, 296 x 128 pixels, 112 dpi , active area 66,9 x 29,06 mm
Electrical	
Power Source	2x CR2450 Lithium primary batteries
Main battery pack operating time	5 years (2 updates/day)
Mechanical	
Dimensions	Width: 92.3mm, Height: 42.2mm Length: 11.5mm
Weight	47.8g
Environment	
Storage temperature	-20 to 50°C
Operating humidity (non-condensing)	20 to 60%
Ingress protection	IP54
Operating temperature	0 to 40°C
Others	
Certifications	FCC, RoHS, WEEE, EN 60950-1, IEC 60950-1, EN 55022, EN 55024

CODEWARE, s.r.o. Jaromírova 484/37

120 00 Praha 2 - Nusle IČ: 61061395, DIČ: CZ61061395





