



RK25: Mobile handheld computer with 28 keys, Android 11, 2D, Camera, WLAN, LTE, GPS, NFC, TN WVGA, GMS, USB kit

The CipherLab RK25 is a rugged mobile computer that combines the advantages of a touchcomputer and a handheld terminal. With its variety of functions, the features of a handy pocket computer, high data capacity, longevity and wireless connectivity, Hot-swap (battery replacement during run), the solution combines the user-friendliness of a smart device with the usual keyboard typing behavior. Built for users in the retailing, light warehousing and field mobility industries, it fulfills the most diverse user behaviors in any environment with big volume data collection demands.

The CipherLab RK25 is a rugged mobile computer that combines the benefits of touchcomputer and handheld terminal. The device boasts a large display screen and a physical keypad. Thanks to its multi-functionality, high data capacity, long service life and wireless connectivity, it provides all the functions of a fully-fledged mobile computer, combining the user-friendly credentials of a smart device with conventional, physical keypad typing. The device's handy design is specifically geared toward supporting users in practice. After all, in applications that call for the collection and input of large data volumes, physical keypads are often still preferred for quick and precise data entry. The CipherLab RK25 is therefore designed to ensure accurate input, even on the move, and to minimize errors in keypad entry. What's more, it is exceptionally reliable and robust, even in harsh conditions involving rain, snow or dirt. The individual keys can also be configured to execute complex commands such as activating sensors, initiating barcode scans and capturing GPS data.





High security standards thanks to the Google certification

The CipherLab RK95 is certified for Google's GMS and it has also Android Enterprise Recommended (AER) certification. This gives high safety standards to a user. The manufacturer also guarantees 90-day safety updates over the first five years after purchase.

Key features:

- Robust design with protection rating IP65
- 4" display Corning Gorilla Glass 3 with multi-touch panel
- Physical keypad for more accurate data input
- Hot-swap feature for battery replacement
- The 4000 mAh swappable battery keeps the durable productivity going for long shifts in any environment
- Powerful wireless options and versatile data capture functionality

YOUTUBE='Ei83teLlYqs'

YOUTUBE='6nMSHSBO10M'































Technical Description

Functionality & Operation	
Wireless communication	Bluetooth®, LTE, NFC, WiFi, GPS
Operating system	Android 11
Operation interface	ON/OFF, volume up and down keys, scan button, programmable buttons, color touch LCD panel , 28 keys
2D Code Symbologies	DotCode, all standard 2D-Codes
Indicators	Tri-color LEDs, vibrator, speaker
Audio	dual array digital microphone with echo and noise cancellation, speaker
Display type	4" WVGA 480x800, Corning Gorilla Glass 3, TN LCD
СРИ Туре	Qualcomm Quad Core 1,4 GHz
Memory	2GB RAM, 16 GB Flash
Touch-screen panel	capacitive multi-touch
Expansion slot	Micro SD Card (SDHC) 32 GB
WPAN Features	Bluetooth® Class II
WLAN Features	IEEE 802.11a/b/g/n/ac/d/h/i/k/r/e
Communication interface	USB 2.0 OTG
Communication interface Optical	USB 2.0 OTG
	USB 2.0 OTG 8 MPix, with Autofocus, with LED flash
Optical	
Optical Camera	8 MPix, with Autofocus, with LED flash
Optical Camera Depth of scan field	8 MPix, with Autofocus, with LED flash 4,1 cm ~ 92,2 cm
Optical Camera Depth of scan field Bar code scanner	8 MPix, with Autofocus, with LED flash 4,1 cm ~ 92,2 cm 2D Imager (SE4750)
Optical Camera Depth of scan field Bar code scanner Sensors	8 MPix, with Autofocus, with LED flash 4,1 cm ~ 92,2 cm 2D Imager (SE4750)
Optical Camera Depth of scan field Bar code scanner Sensors Electrical	8 MPix, with Autofocus, with LED flash 4,1 cm ~ 92,2 cm 2D Imager (SE4750) accelerometer, proximity sensor, light sensor, e-compass, gyroscope
Optical Camera Depth of scan field Bar code scanner Sensors Electrical Main battery pack	8 MPix, with Autofocus, with LED flash 4,1 cm ~ 92,2 cm 2D Imager (SE4750) accelerometer, proximity sensor, light sensor, e-compass, gyroscope
Optical Camera Depth of scan field Bar code scanner Sensors Electrical Main battery pack Mechanical	8 MPix, with Autofocus, with LED flash 4,1 cm ~ 92,2 cm 2D Imager (SE4750) accelerometer, proximity sensor, light sensor, e-compass, gyroscope Rechargeable Li-Ion battery 4000 mAh, 3,8V
Optical Camera Depth of scan field Bar code scanner Sensors Electrical Main battery pack Mechanical Dimensions	8 MPix, with Autofocus, with LED flash 4,1 cm ~ 92,2 cm 2D Imager (SE4750) accelerometer, proximity sensor, light sensor, e-compass, gyroscope Rechargeable Li-Ion battery 4000 mAh, 3,8V Width: 73.8mm, Height: 26mm Length: 168mm
Optical Camera Depth of scan field Bar code scanner Sensors Electrical Main battery pack Mechanical Dimensions Weight	8 MPix, with Autofocus, with LED flash 4,1 cm ~ 92,2 cm 2D Imager (SE4750) accelerometer, proximity sensor, light sensor, e-compass, gyroscope Rechargeable Li-Ion battery 4000 mAh, 3,8V Width: 73.8mm, Height: 26mm Length: 168mm
Optical Camera Depth of scan field Bar code scanner Sensors Electrical Main battery pack Mechanical Dimensions Weight Environment	8 MPix, with Autofocus, with LED flash 4,1 cm ~ 92,2 cm 2D Imager (SE4750) accelerometer, proximity sensor, light sensor, e-compass, gyroscope Rechargeable Li-lon battery 4000 mAh, 3,8V Width: 73.8mm, Height: 26mm Length: 168mm 292g

CODEWARE, s.r.o. Jaromírova 484/37

Ingrace protection

120 00 Praha 2 - Nusle IČ: 61061395, DIČ: CZ61061395

+420 222 562 444 codeware@codeware.cz https://www.codeware.cz/



