



Zebra ZT411 RFID Metal Industrial Barcode Printer, RFID UHF encoder, 203 DPI, USB+RS232+LAN+BT

ZT411 printer from Zebra manufacturer builds on the highly extended and used by the printer ZT410. Although this is an industrial printer, it is also suitable for smaller spaces thanks to its compact dimensions. Printer is with extended RFID module configuration to encode RFID tags.

Their design, these printers are designed mainly for light industrial plants, offices and warehouses. The big advantage is the ease of operation of the printer including simple, quick media loading and support Zebra Linkos that allows simple integration. ZT411 printer excels in modern design and is designed for high-volume printing. It is made of very durable material and boasts simplicity, intuitive operation and clear LCD display.



Ideal use ZT411 printer:

- Production-marking materials
- government
- property records
- Logistics-labeling shipments
- Retail-label goods, shelf edge labeling
- healthcare- pharmacies, laboratories

Key features ZT411:

- ThingMagic RFID reader/encoder
- print speed of 14 IPS
- High resolution printing
- easy media loading
- compact size
- Easy operation
- Support Zebra LinkOS
- LCD display
- durable construction



1D CODE



2D CODE



RFID



PRINTER



PRINTER



USB



RS 232



ETHER



BT



DPI



LCD



RFID 13.56MHz



TOUCH

Technical Description

Functionality & Operation

Print resolution	203dpi
Maximal print length	3988mm
Wireless communication	Bluetooth®
Communication interface	Ethernet, RS232, USB
1D Barcode Symbolologies	All standard one-dimension barcodes
2D Code Symbolologies	all standard 2D-Codes
Print mode	direct thermal, thermal-transfer
Maximal print width	104mm
Print speed	14ips/356 mm/s
Memory	256MB , 512 MB on-board linear Flash memory
Display type	LCD
RFID transponder protocols	UHF EPC Gen 2 V2, ISO/IEC 18000-63, RAIN RFID protocols
Commands set	Zebra Programming Language ZPL®, ZPL II®, EPL™ Programming Language, ZBI 2.0, EPL2™

Optical

Sensors	transmissive, reflective
---------	--------------------------

Electrical

Power Source	100-240V, 50-60Hz
--------------	-------------------

Mechanical

Dimensions	Width: 324mm, Height: 269mm Length: 495mm
Weight	16.33kg

Consumables

Maximal paper width	108mm
Maximal roll diameter	203mm
Media type	continuous, black-marked media, notch
Max. ribbon length	450m
Media thickness	0.058 to 0.25mm
Media core diameter	to 76 mm

Environment

CODEWARE, s.r.o.
Jaromírova 484/37
120 00 Praha 2 - Nusle
IČ: 61061395, DIČ: CZ61061395

+420 222 562 444
codeware@codeware.cz
<https://www.codeware.cz/>

